

# PLUMMER BLOCK ,BALL BEARING

SI	Items Description	Unit	Qty
1	<b>BEARING, SKF MODEL: UC 204</b>	Ea	30
	Item Specifications: BEARING,		
	STYLE: PLUMMER BLOCK		
	SIZE: 20 MM		
	SERIES: UC 204		
	TYPE: BALL BEARING		
	MATERIAL: BEARING STEEL		
	<b>DESCRIPTION:</b>		
	PLUMMER/PILLOW BLOCK BALL BEARING, UC 204, CYLIDRICAL BORE		
	MATERIAL: BEARING STEEL		
	OUT SIDE DIA: 47 MM		
	BORE SIZE: 20 MM		
	OUT SIDE RING WIDTH: 16 MM		
	INSIDE RING WIDTH: 31 MM		
	CENTRE TO BEARING END: 12 MM		
	SET SCREW SIZE: 1/4 INCH		
	NO SCREWS: 2 NOS.		
ANGLE BETWEEN SCREWS -- 120 DEGREES			
2	<b>BEARING, SKF MODEL: UC 205</b>	Ea	30
	Item Specifications: BEARING,		
	STYLE: PLUMMER BLOCK		
	TYPE: BALL BEARING		
	SIZE: 25 MM		
	MATERIAL: BALL BEARING UC 205		
	<b>DESCRIPTION:</b>		
	PLUMMER / PILLOW BLOCK BALL BEARING , UC 205		
	MATERIAL: BEARING STEEL		
	OUT SIDE DIA: 52 MM		
	BORE SIZE: 25 MM		
	OUT SIDE RING WIDTH: 17 MM		
	INSIDE RING WIDTH: 34.1 MM		
	CENTRE TO BEARING END: 14.3 MM		
	SET SCREW SIZE: M6X0.75		
	NO SCREWS: 2 NOS.		
	ANGLE BETWEEN SCREWS: 120 DEGREES		
3	<b>BEARING SKF MODEL: UC 206</b>	Ea	30
	Item Specifications: BEARING,		
	SIZE: 30 MM		
	STYLE: --		
	SERIES: UC 206		

	MATERIAL: BEARING UC 206, TYPE: PLUMMER BLOCK		
	<b>DESCRIPTION:</b> PLUMMER/PILLOW BLOCK BALL BEARING , UC 206, BORE CYLINDRICAL		
	MATERIAL: BEARING STEEL		
	OUT SIDE DIA: 62 MM		
	BORE SIZE: 30 MM		
	IN SIDE RING WIDTH: 38.1 MM		
	OUT SIDE RING WIDTH: 19 MM		
	INSIDE RING WIDTH: 31 MM		
	CENTRE TO BEARING END: 15.9 MM		
	SET SCREW SIZE: M6 0.75		
	NO SCREWS: 2 NOS.		
	ANGLE BETWEEN SCREWS -- 120 DEGREES		
4	<b>BEARING SKF MODEL: UC 207</b> Item Specifications: BEARING, MATERIAL: BEARING ,BALL SIZE: 35 MM BORE SERIES: UC 207 TYPE: PLUMMER BLOCK	<b>Ea</b>	<b>30</b>
	<b>DESCRIPTION:</b> PLUMMER / PILLOW BLOCKBALL BEARING ,UC 207, CYLINDRICAL BORE		
	MATERIAL: BEARING STEEL		
	OUT SIDE DIA: 72 MM		
	BORE SIZE: 35 MM		
	WIDTH: 31 MM		
	OUT SIDE RING WIDTH:20 MM		
	INSIDE RING WIDTH: 42.9 MM		
	CENTRE TO BEARING END: 17.5 MM		
	SET SCREW SIZE: M8X 1		
	NO SCREWS: 2 NOS.		
	ANGLE BETWEEN SCREWS: 120 DEGREES		
SI	<b>Items Description</b>	<b>Unit</b>	<b>Qty</b>
1	ROLLER BEARING, TAPER CONE AND CUP, LIGHT, SINGLE ROW, 30MM, 55MM, 17MM SKF / FAG / NTN / NSK # 32006	Ea	1
2	ROLLER BEARING, CYLINDRICAL, SINGLE ROW, 85MM, 150MM, 28MM SKF / FAG # NU217 ECP/C3	Ea	1
3	BALL BEARING, STEEL, SKF / FAG # 6209 Z C3	Ea	2
4	BALL BEARING, STEEL, SKF / FAG # 64004 ZZ	Ea	2
5	ROLLER BEARING, CYLINDRICAL, SINGLE ROW, 75MM, 130MM, 25MM, SKF / FAG # NU215 ECJ	Ea	1
6	BALL BEARING, SKF / FAG # 6215 ZZ C4 GXN, STEEL	Ea	1

7	BALL BEARING, STEEL, SKF / FAG # 6215 X C3	Ea	2
8	BALL BEARING, STEEL, SKF / FAG # 6007 ZZ C3	Ea	2
9	BALL BEARING, STEEL, SKF / FAG # 6209 ZZ C3	Ea	2
10	BALL BEARING, ANGULAR CONTACT, LIGHT, DOUBLE ROW, 60MM, 110MM, 36.51MM,	Ea	3
	SKF / FAG # 3212 C3		
11	BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 70MM, 150MM, 35MM	Ea	2
	SKF / FAG # 6314,		
12	BALL BEARING, DEEP GROVE, NDE, SKF / FAG # 6309/C3	Ea	8
13	ROLLER BEARING, CYLINDRICAL, SINGLE ROW, 65MM, 140MM, 33MM, SKF / FAG/NSK # NU313	Ea	6
14	BALL BEARING, DEEP GROVE, OPEN TYPE, SINGLE ROW, 90MM, 140MM 24MM	Ea	6
	SKF / FAG # 6018-ZZC3		
15	ROLLER BEARING, CYLINDRICAL ROLLER WITH CASE, BRASS, SINGLE ROW, 200MM, 130MM, 33MM	Ea	6
	SKF / FAG # NU1026-M1-C3		
16	BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 105MM, 225MM, 49MM	Ea	3
	SKF / FAG # 6321 C3		
17	BALL BEARING, ANGULAR CONTACT, SINGLE ROW, CARBON STEEL, ANGULAR CONTACT BALL, 100MM, 215MM, 47MM, SKF / FAG #7320 BECBM	Ea	2
18	BALL BEARING, DEEP GROVE, OPEN TYPE, SINGLE ROW, 50MM, 110MM, 27MM	Ea	5
	SKF / FAG # 6310-M C3		
19	BALL BEARING, DEEP GROVE, STEEL, 65MM, 120, 23MM	Ea	18
	SKF / FAG # 6213 ZZ C3		
20	BALL BEARING, DEEP GROVE, CARBON STEEL, SINGLE ROW, 200MM, 130MM, 33MM	Ea	4
	SKF / FAG # 6026-C3		
	FOR HIGH SPEED MOTOR		
21	BEARING BALL, DEEP GROVE, SINGLE ROW, 25MM, 52MM, 15MM, STEEL CASE, SKF/FAG# 6205 ZZ C3	Ea	12
22	BALL BEARING, DEEP GROVE, STEEL CASE, 65MM, 120MM, 23,,	Ea	20
	SKF/FAG #6213 ZZC3		
23	BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 75MM, 160M, 37MM,	Ea	13
	METRIC SIZE DIMENSION TO BS 292-1969-TABLE 13, IBI NO. 14598,		
	SKF / NTN MODEL: ??		
24	BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 45MM, 100MM, 25MM,	Ea	27
	METRIC SIZE DIMENSION TO BS 292-1969-TABLE 13		
	SKF MODEL: 6309 ZZ C3		
25	BALL BEARING DEEP GROVE, BEARING FOR MOTOR AT BS 131	Ea	6
	SKF MODEL: 6216-C3		
26	BALL BEARING, DEEP GROVE, LIGHT, SINGLE ROW, 85, 150MM, 28MM,	Ea	7
	MATERIAL CASE: PRESSED STEEL, HIGH SPEED TYPE 000 FIT		

	METRIC SIZE DIMENSION TO BS 292-1969 TABLE 12, SERIES: BRL		
	SKF MODEL: 6213 C3		
27	BALL BEARING, DUPLEX, SINGLE ROW, (TANDEM BACK TO BACK OR FACE TO FACE MOUNTING) 65MM, 140MM X 66MM, FAG/SKF # 7313BG, NO PLASTIC CASE, 1 PAIR = 2 NOS.	Pair	5
28	BEARING ROLLER, CYLINDRICAL, RIGID RADIAL, MEDIUM, SINGLE ROW, 130MM, 60MM, 31MM WITH TWO LIPE ON OUTER RACE AND STRAIGHT INNER RACE METRIC SIZE ISO DIMENSION SERIES 03, FAG/SKF MODEL: NU312EM1	Ea	4
SI	<b>Items Description</b>	<b>Unit</b>	<b>Qty</b>
1	<b>BALL BEARING, SIZE - LJT 2 1/2 (INCHES)</b> <b>MANUFACTURER NAME: SKF Part # LJT - 2 1/2 INCH</b> Item Specifications: BEARING, SIZE: 2.5 inches TYPE: BALL BEARINGS, SERIES: LJT <b>DESCRIPTION:</b> BALL BEARING, SIZE - LJT 2 1/2 (INCHES) MAKE: SKF/FAG /NSK OR EQUIVALENT	Ea	4
2	<b>CYCLINDRICAL ROLLER BEARING - LRJ-2 1/2 INCHES</b> <b>MANUFACTURER NAME: Part # LRJ - 2 1/2 INCHES</b> Item Specifications: BEARING, TYPE: CYCLINDRICAL ROLLER BEARING SERIES: LRJ,, SIZE: 2 1/2 INCHES <b>DESCRIPTION:</b> CYCLINDRICAL ROLLER BEARING, LRJ-2 1/2 INCHES	Ea	2
3	<b>BEARING: 5206-ZZ-C3</b> <b>MANUFACTURER NAME: SKF, PART # 5206-ZZ-C3</b> DIAMETER, OD: 62 MM DIAMETER, BORE: 30 MM WIDTH/HEIGHT: 23.8 MM MAT, CAGE: STEEL ROWS: DOUBLE TYPE: BALL BEARING ANGULAR CONTACT SERIES: 5200 DESIGNATION: 5206-ZZ-C3 <b>DESCRIPTION:</b> Bearing, ball, angular contact, double row, medium series, radial clearance greater than normal with steel cage & both sided metallic sheilded. (non-metallic cage not acceptable)	Ea	1
4	<b>BEARING 3307-ZZ-C3</b> <b>MANUFACTURER NAME: SKF, PART # 3307-ZZ-C3</b> Item Specifications: BEARINGS,BALL,METRIC,	Ea	2

	SERIES: 3300		
	WIDTH/HEIGHT: 34.93 MM		
	DIAMETER, OD: 80 MM		
	DIAMETER, BORE: 35 MM		
	MAT, CAGE: STEEL		
	TYPE: BALL BEARING ANGULAR CONTACT		
	DESIGNATION: 3307-ZZ-C3		
	ROWS: DOUBLE		
	<b>DESCRIPTION:</b>		
	Bearing, ball, angular contact, double row, medium series, radial clearance greater than normal with steel cage & both sided metallic sheilded. (non-metallic cage not acceptable)		
SI	<b>Items Description</b>	<b>Unit</b>	<b>Qty</b>
1	<b>BEARING, BALL, RADIAL, SKF # 6204-ZZ</b>	<b>Ea</b>	<b>300</b>
	Item Specifications: BEARING, BALL		
	<b>DESCRIPTION:</b>		
	BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE,		
	LIGHT SERIES, METRIC SIZES, WITH TWO SHIELDS, WITH STEEL CAGE.		
	(non-metallic cage not acceptable)		
	<b>DIMENSIONS: ID 20 X OD 47 X WIDTH 14MM</b>		
2	<b>BEARING, BALL, RADIAL, SKF # 6205-ZZ</b>	<b>Ea</b>	<b>300</b>
	Item Specifications: BEARING, BALL		
	<b>DESCRIPTION:</b>		
	BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE,		
	LIGHT SERIES, METRIC SIZES, WITH TWO SHIELDS, WITH STEEL CAGE.		
	(non-metallic cage not acceptable)		
	<b>DIMENSIONS: ID 25 X OD 52 X WIDTH 15MM</b>		
3	BALL BEARING SKF 6004 ZZ C3	<b>Ea</b>	<b>4</b>
	<b>DIMENSIONS: ID 00 X OD 00 X WIDTH 00MM</b>		
4	<b>NEEDLE BEARING NA 3030</b>	<b>Ea</b>	<b>2</b>
	Item Specifications: BEARING,		
	TYPE: Needle Bearing with Inner Ring		
	SERIES: NA 3000		
	SIZE: ID=30mm, OD=62mm, WD=30mm		
	<b>DESCRIPTION:</b>		
	BEARING FOR BL-48/49/88/89-001/002--ME		
	NEEDLE BEARING WITH INNER RING 3030		
	NA SERIES 3000		

<b>DIMENSIONS: ID 30 X OD 62 X WIDTH 30 MM</b>
WEIGHT= 0.309 KG
<b>NOTE:</b>
1) Supplier shall procure the bearing as per above specs
2) Attached bearing specs for reference only